

# Containment Stretcher

## Negative Pressure Isolation Cell

This waterproof containment stretcher is used for transporting contaminated patients requiring medical attention. The isolation cell is under negative pressure relative to surrounding areas to prevent leakage into the environment of pathogenic microorganisms. This negative pressure is provided by a filter engine attached to the foot end of the unit. It's flat base enables it to be used in conjunction with many medical cots and patient transportation devices.



### Features

- Unique patented inversed welded zipper preventing cross contamination
- Commercial grade engine creates negative pressure relative to surroundings to prevent outside exposure
- Filters on top of the unit preventing any blood or bodily fluids from entering filters and clogging them.
- The cell can be set up in minutes, saving time and money sealing the back of an ambulance
- Can be folded down in to a compact canvas bag that can be carried by hand and easily stored
- Suction engine capacity 160 litres/Autonomy 8H

### PRODUCT DATA SHEET



### Includes

- 2 gloves to allow for patient manipulation
- 2 sealing plugs for passing pipes
- 4 Patient Straps
- 2 Stretcher Straps

#### Dimensions

Height	21 inches
Width	30 inches
Length	80 inches
Weight	38 lbs

### Cleaning

Disinfection and cleaning with virucidal disinfectant bactericidal detergent to eliminate pathogens. Refer directly to the instructions for use of these products.

For further information please contact:

#### Quantum EMS Solutions

3000 Marcus Ave, Suite #3E6, Lake Success, NY, 11042-1012

T 516-321-9494 W [www.quantum-ems.com](http://www.quantum-ems.com) E [sales@quantum-ems.com](mailto:sales@quantum-ems.com)

**QUANTUM EMS**  
MINIMUM EFFORT, MAXIMUM EFFICIENCY

